

Lecture_9

den 17 november 2020 14:13



Lecture_9

Options and Mathematics: Lecture 9

November 17, 2020

$$S(0) = S_0 > 0$$

$$S(t) = \begin{cases} S(t-1)e^u & \text{prob } p \\ S(t-1)e^d & \text{prob } 1-p \end{cases}$$

$$t \in \{1, \dots, N\}$$

Binomial price of European derivatives

$$B(t) = B_0 e^{rt}$$

Consider a European derivative on the stock expiring at time $T = N$.

Recall that European derivatives can be exercised only at maturity.

The derivative will be called **standard** if its pay-off depends only on the price of the stock at maturity, i.e., $Y = g(S(N))$, for some function $g : (0, \infty) \rightarrow \mathbb{R}$, which is called the **pay-off function** of the derivative.

e.g.,

$$g(z) = (z - K)_+$$

for call
option

The derivative will be called **non-standard** if the pay-off is a (deterministic) function of the stock price at time $t = N$ and at times earlier than maturity, i.e., $Y = g(S(0), \dots, S(N))$, where now $g : (0, \infty)^{N+1} \rightarrow \mathbb{R}$.

In both cases the pay-off depends on the path $x = (x_1, \dots, x_N) \in \{u, d\}^N$ followed by the stock price

STANDARD DERIVATIVES: $Y(x) = g(S(N, x))$

NON-STANDARD DERIVATIVES: $Y(x) = g(S(0), S(1, x_1), S(2, x_1, x_2), \dots, S(N, x))$

$$x = (x_1, x_2, \dots, x_N)$$

$t = 0, 1, \dots, N$

Assume that a European derivative is sold at time $t < T$ for the price $\Pi_Y(t)$.

The first concern of the seller is to **hedge** the derivative, i.e., to invest the premium $\Pi_Y(t)$ in such a way that the seller portfolio value at the expiration date is enough to pay-off the buyer of the derivative.

We assume that the seller invests the premium in the binomial market consisting of the underlying stock and the risk-free asset (**delta-hedging**).

Definition 3.2

An **hedging** portfolio process for the European derivative with pay-off Y and maturity $T = N$ is a predictable portfolio process $\{(h_S(t), h_B(t))\}_{t \in \mathcal{I}}$ invested in the underlying stock and the risk-free asset such that its value $V(t)$ satisfies $V(N) = Y = \Pi_Y(N)$.

If $V(t) = \Pi_Y(t)$ holds for all $t = 0, \dots, N$, and not only at maturity, we say that $\{h_S(t), h_B(t)\}_{t \in \mathcal{I}}$ is a **replicating** portfolio process for the given derivative.

The value $V(t)$ of any self-financing hedging portfolio at time t is given by

$$\begin{aligned} V(t) &= e^{-r(N-t)} \sum_{(x_{t+1}, \dots, x_N) \in \{u, d\}^{N-t}} q_{x_{t+1}} \cdots q_{x_N} V(N, x) \\ &= e^{-r(N-t)} \sum_{(x_{t+1}, \dots, x_N) \in \{u, d\}^{N-t}} q_{x_{t+1}} \cdots q_{x_N} Y(x_1, \dots, x_N). \end{aligned}$$

VALUE AT TIME t OF ANY SELF-FINANCING HEDGING PORTFOLIO

$$V(N, x) = Y(x)$$

$$x \in \{u, d\}^N$$

Definition 3.3

The **binomial (fair) price** at time $t = 0, \dots, N-1$ of the European derivative with pay-off Y and maturity $T = N$ is given by

$$\Pi_Y(t) := e^{-r(N-t)} \sum_{(x_{t+1}, \dots, x_N) \in \{u, d\}^{N-t}} q_{x_{t+1}} \cdots q_{x_N} Y(x_1, \dots, x_N) \quad t = 0, \dots, N-1$$

while $\Pi_Y(N) := Y$. In particular at time $t = 0$,

$$\Pi_Y(0) = e^{-rN} \sum_{x \in \{u, d\}^N} (q_u)^{N_u(x)} (q_d)^{N_d(x)} Y(x)$$

REPLACE
 $x=0$

$$Y(x) = g(S(x, x)) \\ = g(S(t)) e^{x_{t+1} + \dots + x_N}$$

where $N_u(x)$ is the number of u 's in x and $N_d(x) = N - N_u(x)$ the number of d 's.

Remarks:

1. The binomial price at time t of the European derivative equals the value required to open at time t a self-financing hedging portfolio process for the derivative. In particular, self-financing hedging portfolios of European derivatives in a binomial market are also replicating portfolios.
2. Note carefully that we have *not* proved yet that hedging self-financing portfolios exist. The existence of self-financing hedging portfolios is proved in later.

imp!

Note that

$$\Pi_Y(t) = e^{-r(N-t)} \sum_{(x_{t+1}, \dots, x_N) \in \{u, d\}^{N-t}} q_{x_{t+1}} \cdots q_{x_N} Y(x_1, \dots, x_N) = \Pi_Y(t, x_1, \dots, x_t)$$

hence the binomial price of the derivative at time t depends only on the information available at time t and not on the uncertain future.

Example

Recall that

$$S(N, x) = S_0 \exp(x_1 + \cdots + x_N), \quad S(t, x_1, \dots, x_t) = S_0 \exp(x_1 + \cdots + x_t)$$

hence

$$S(N, x) = S(t, x_1, \dots, x_t) \exp(x_{t+1} + \cdots + x_N)$$

and therefore the binomial fair price for the standard European derivative with pay-off $Y = g(S(N))$ can be written as

$$Y(x) = g(S(N, x))$$

$$\Pi_Y(t, x_1, \dots, x_t) = e^{-r(N-t)} \sum_{(x_{t+1}, \dots, x_N) \in \{u, d\}^{N-t}} q_{x_{t+1}} \cdots q_{x_N} \underbrace{g(S(t, x_1, \dots, x_t) e^{x_{t+1} + \cdots + x_N})}_Y.$$

This shows that the binomial price at time t of standard European derivatives is a deterministic function of $S(t)$, namely

$$\Pi_Y(t) = v_t(S(t))$$

where

$$v_t(z) = e^{-r(N-t)} \sum_{(x_{t+1}, \dots, x_N) \in \{u, d\}^{N-t}} q_{x_{t+1}} \cdots q_{x_N} g(z \exp(x_{t+1} + \cdots + x_N))$$

REPLACE
 $z = S(t)$

$$g(z) = (z - e^{-r})_+$$

is called the **pricing function** of the derivative (at time t).

In the particular case of the European call, respectively put, with strike K and maturity $T = N$, the binomial price at time $t = 0, \dots, N-1$ can be written in the form $C(t, S(t), K, N)$, respectively $P(t, S(t), K, N)$, where

$$C(t, S(t), K, T) = e^{-r(T-t)} \sum_{(x_{t+1}, \dots, x_T) \in \{u, d\}^{T-t}} q_{x_{t+1}} \cdots q_{x_T} (S(t) e^{x_{t+1} + \cdots + x_T} - K)_+$$

$$P(t, S(t), K, T) = e^{-r(T-t)} \sum_{(x_{t+1}, \dots, x_T) \in \{u, d\}^{T-t}} q_{x_{t+1}} \cdots q_{x_T} (K - S(t) e^{x_{t+1} + \cdots + x_T})_+$$

q_u or q_d

Remark:

These explicit formulas can be used to give an alternative proof of the properties on European call/put options derived in the first week, see Theorem 3.1 in the lecture notes.

IF $q_u = q_d = 1/2$, THEN

$$\binom{q_u}{N_u(t)} \binom{q_d}{N_d(t)} = \left(\frac{1}{2}\right)^N < 1$$

Recurrence formula for the binomial price

Let $\Pi_Y^u(t)$ denote the binomial fair price of the European derivative at time t assuming that the stock price goes up at time t (i.e., $S(t) = S(t-1)e^u$, or equivalently, $x_t = u$)

Note that

$$\Pi_Y^u(t) = \Pi_Y^u(t, x_1, \dots, x_{t-1}) = \Pi_Y(t, x_1, \dots, x_{t-1}, u).$$

Similarly define $\Pi_Y^d(t)$, with “up” replaced by “down”.

By the proven recurrence formula for the value of self-financing portfolios we have the following important result.

The binomial price of European derivatives satisfies the recurrence formula

$$\Pi_Y(N) = Y$$


$$\Pi_Y(t) = e^{-r} [q_u \Pi_Y^u(t+1) + q_d \Pi_Y^d(t+1)], \text{ for } t \in \{0, \dots, N-1\}$$

REPLACE
 $V(t) \equiv \Pi_Y(t)$

$$V(t) = e^{-r} [q_u V^u(t+1) + q_d V^d(t+1)]$$

$$q_u = \frac{e^r - e^d}{e^u - e^d} \in (0, 1), \quad q_d = 1 - q_u \in (0, 1)$$

6 BECAUSE WE ASSUME
NO ARBITRAGE FREE
MARKET



Example: A standard European derivative

Consider the standard European derivative with pay-off $Y = (\sqrt{S(2)} - 1)_+$ at maturity time $T = 2$.

Assume that the market parameters are given by

$$u = \log 2, \quad d = 0, \quad r = \log(4/3), \quad p = 1/4.$$

$$S(t) = \begin{cases} S(t-1)e^u & \text{prob } p \\ S(t-1)e^d & \text{prob } 1-p \end{cases}$$

Assume also $S_0 = 1$.

In this example we compute the possible paths for the binomial price $\Pi_Y(t)$ of the derivative and the probability that the derivative expires in the money.

The stock price and the risk-free asset satisfy

$$S(t) = \begin{cases} S(t-1)e^u \\ S(t-1)e^d \end{cases}, \quad B(t) = B_0 e^{rt} \quad t \in \{1, 2\},$$

where


$$e^u = 2, \quad e^d = 1, \quad e^r = 4/3.$$

Hence

$$q_u = \frac{e^r - e^d}{e^u - e^d} = \frac{1}{3}, \quad q_d = 1 - q_u = \frac{2}{3}. \quad q_u, q_d \in (0, 1)$$

THIS MARKET IS
ARBITRAGE-FREE

Now, let us write the binomial tree of the stock price, including the possible values of the derivative at the expiration time $T = 2$ (where we use that $\Pi_Y(2) = Y$):



Using the recurrence formula

$$\Pi_Y(t) = e^{-r}(q_u \Pi_Y^u(t+1) + q_d \Pi_Y^d(t+1))$$

we have, at time $t = 1$,


$$\begin{aligned} \underline{S(1) = S(1, u) = 2} \Rightarrow \Pi_Y(1) &= \Pi_Y(1, u) = e^{-r}(q_u \Pi_Y^u(2, u) + q_d \Pi_Y^d(2, u)) \\ &= e^{-r}(q_u \Pi_Y(2, u, u) + q_d \Pi_Y(2, u, d)) \\ &= \frac{3}{4}(\frac{1}{3} \cdot 1 + \frac{2}{3}(\sqrt{2} - 1)) = \frac{1}{4}(2\sqrt{2} - 1) \end{aligned}$$

$$\begin{aligned} \underline{S(1) = S(1, d) = 1} \Rightarrow \Pi_Y(1) &= \Pi_Y(1, d) = e^{-r}(q_u \Pi_Y^u(2, d) + q_d \Pi_Y^d(2, d)) \\ &= e^{-r}(q_u \Pi_Y(2, d, u) + q_d \Pi_Y(2, d, d)) \\ &= \frac{3}{4}(\frac{1}{3}(\sqrt{2} - 1) + \frac{2}{3} \cdot 0) = \frac{1}{4}(\sqrt{2} - 1) \end{aligned}$$

while at time $t = 0$ we have

$$\begin{aligned}\Pi_Y(0) &= e^{-r}(q_u \Pi_Y^u(1) + q_d \Pi_Y^d(1)) \\ &= e^{-r}(q_u \Pi_Y(1, u) + q_d \Pi_Y(1, d)) \\ &= \frac{3}{4} \left(\frac{1}{3} \cdot \frac{1}{4} (2\sqrt{2} - 1) + \frac{2}{3} \cdot \frac{1}{4} (\sqrt{2} - 1) \right) = \frac{1}{4} \left(\sqrt{2} - \frac{3}{4} \right).\end{aligned}$$

Hence we have found the following diagram for the binomial price of the derivative



As to the probability that the derivative expires in the money, i.e., $\mathbb{P}(Y > 0)$, we see from the above diagram that this happens along the paths (u, u) , (u, d) , (d, u) , hence

$$\mathbb{P}(Y > 0) = \mathbb{P}(S^{(u,u)}) + \mathbb{P}(S^{(u,d)}) + \mathbb{P}(S^{(d,u)}) = \left(\frac{1}{4}\right)^2 + \frac{1}{4} \cdot \frac{3}{4} + \frac{3}{4} \cdot \frac{1}{4} = \frac{7}{16},$$

$$P = \frac{1}{4}$$

which corresponds to 43,75%.

Example: A non-standard European derivative

Consider a 3-period binomial market with the parameters $e^u = \frac{4}{3}$, $e^d = \frac{2}{3}$, $p = \frac{3}{4}$, $S_0 = 2$ and $r = 0$.

In this example we shall compute the binomial price at time $t = 0$ of the European derivative with pay-off

$$Y = \left(\frac{11}{9} - \min(S_0, S(1), S(2), S(3)) \right)_+, \quad (z)_+ = \max(0, z),$$

and time of maturity $T = 3$.

This is an example of **lookback option**. We will also compute the probability that the derivative expires in the money and the probability that the return of a constant portfolio with a long position on this derivative be positive.

To compute the initial binomial price we use the formula

$$\Pi_Y(0) = \underbrace{e^{-rN}}_1 \sum_{x \in \{u,d\}^N} (q_u)^{N_u(x)} (q_d)^{N_d(x)} Y(x), = \sum_{x \in \{u,d\}^3} \left(\frac{1}{2}\right)^3 Y(x)$$

Here $Y(x)$ denotes the pay-off as a function of the path of the stock price, $N_u(x)$ is the number of times that the stock price goes up in the path x and $N_d(x) = N - N_u(x)$ is the number of times that it goes down. In this example we have $N = 3$, $r = 0$ and


$$q_u = q_d = \frac{1}{2}.$$

$$q_u = \frac{e^r - e^d}{e^u - e^d} = \frac{1 - \frac{2}{3}}{\frac{4}{3} - \frac{2}{3}} = \frac{1}{2}$$

So, it remains to compute the pay-off for all possible paths of the binomial stock price, where

$$Y = \left(\frac{11}{9} - \min(S_0, S(1), S(2), S(3)) \right)_+, \quad (z)_+ = \max(0, z).$$

The binomial tree of the stock price is



From this we compute

$$\begin{aligned}
Y(u, u, u) &= \left(\frac{11}{9} - \min(2, 8/3, 32/9, 128/27) \right)_+ = \left(\frac{11}{9} - 2 \right)_+ = \max(0, -\frac{7}{9}) = 0 \\
Y(u, u, d) &= \left(\frac{11}{9} - \min(2, 8/3, 32/9, 64/27) \right)_+ = 0 = \left(\frac{11}{9} - 2 \right)_+ \\
Y(u, d, u) &= \left(\frac{11}{9} - \min(2, 8/3, 16/9, 64/27) \right)_+ = 0 \\
\rightarrow Y(u, d, d) &= \left(\frac{11}{9} - \min(2, 8/3, 16/9, 32/27) \right)_+ = \underline{1/27} = \left(\frac{11}{9} - \frac{32}{27} \right)_+ = \frac{1}{27} \\
Y(d, u, u) &= \left(\frac{11}{9} - \min(2, 4/3, 16/9, 64/27) \right)_+ = 0 \\
\rightarrow Y(d, u, d) &= \left(\frac{11}{9} - \min(2, 4/3, 16/9, 32/27) \right)_+ = \underline{1/27} \\
\rightarrow Y(d, d, u) &= \left(\frac{11}{9} - \min(2, 4/3, 8/9, 32/27) \right)_+ = \underline{1/3} \\
\rightarrow Y(d, d, d) &= \left(\frac{11}{9} - \min(2, 4/3, 8/9, 16/27) \right)_+ = \underline{17/27}
\end{aligned}$$

} POSITIVE
NET VALUE

$$\pi_1(v) = \frac{1}{8} \sum_{x \in \{u, d\}^3} v(x) =$$

$$\begin{aligned}
&\frac{1}{8} (Y(u, u, u) + Y(u, u, d) + \dots) \\
&= \frac{1}{8} \left(\frac{1}{27} + \frac{1}{27} + \frac{1}{3} + \frac{17}{27} \right) = \left(\frac{7}{54} \right)
\end{aligned}$$

Replacing in the formula for $\Pi_Y(0)$ we obtain

$$\Pi_Y(0) = q_u(q_d)^2 Y(u, d, d) + (q_d)^2 q_u Y(d, u, d) + (q_d)^2 q_u Y(d, d, u) + (q_d)^3 Y(d, d, d),$$

the other terms being zero. Hence

$$\Pi_Y(0) = \frac{1}{8} \left(\frac{1}{27} + \frac{1}{27} + \frac{1}{3} + \frac{17}{27} \right) = \frac{7}{54}.$$

The probability that the derivative expires in the money is the probability that $Y > 0$. Hence we just sum the probabilities of the paths which lead to a positive pay-off:

$$\begin{aligned} \mathbb{P}(Y > 0) &= \mathbb{P}(S^{(u,d,d)}) + \mathbb{P}(S^{(d,u,d)}) + \mathbb{P}(S^{(d,d,u)}) + \mathbb{P}(S^{(d,d,d)}) \\ &= p(1-p)^2 + (1-p)^2 p + (1-p)^2 p + (1-p)^3 \\ &= 3(1-p)^2 p + (1-p)^3 = 3 \left(\frac{1}{4} \right)^2 \frac{3}{4} + \left(\frac{1}{4} \right)^3 = \frac{5}{32} \approx 15,6\% \end{aligned}$$

Next consider a constant portfolio with a long position on the derivative. This means that the investor buys the derivative at time $t = 0$ and waits (without changing the portfolio) until the expiration time $t = 3$. The return will be positive (i.e., the buyer makes a profit) if and only if $\Pi_Y(3) > \Pi_Y(0)$. But $\Pi_Y(3) = Y$, which, according to the computations above, is greater than $\Pi_Y(0) = 7/54$ only when the binomial stock price follows one of the paths (d, d, u) or (d, d, d) . Hence

$$\mathbb{P}(R > 0) = \mathbb{P}(S^{(d,d,u)}) + \mathbb{P}(S^{(d,d,d)}) = (1-p)^2 p + (1-p)^3 = (1-p)^2 = \frac{1}{16} \approx 6,2\%$$

$$= \mathbb{P}(Y > \Pi_Y(0))$$